

Network Camera Firmware

Version: V5.5.94

Release Note (**Internal**)

(2019-10-11)

Firmware Basic Information	Firmware Version:	V5.5.94 build190902
	SDK Version:	V5.3.6.35_build20180830
	iVMS-4200	V2.6.11.5Build180905

Hikvision Firmware V5.5.94 build 190902 Features

1. Improved Features

- Newly release ColorVu model: DS-2CD2027G1-L.
- 1 series camera support HLC.
- Support reset password via E-mail on SADP, 4200, and Hik-Connect, set the reserved E-mail

address when active camera;

Export Guid File/Set Question/Reserved Email

Mode: Reserved Email

Set Reserved Email:

Used for resetting password. When resetting password, send the QR code to the server and a verification code will be sent to your reserved email address. Use that code to reset the admin password.

Confirm Cancel

- Remove Dual-VCA function to reduce CPU utilization.

Compatibility Update

- **Milestone Enterprise 10.1a, Milestone Device Pack 8.8**
- **Milestone Corporate 10.2a, Milestone Device Pack 8.8**
- **Exacqvision:**

Version: 8.4.2.111542

- **Avigilon Control Center:**

Version: V6.0.0.24

- **Intellect V4.10.3**
- **Digifort: V7.2.1**
- **Axxon: AxxonNext-4.0.2.5237**
- **Tested NVRs:**

DS-96256NI-I24/H (baseline V4.1.63) 96000 I Series

96000NI-I Series NVR (V3.6.21)

E Series: DS-7604NI-E1 (STD)

I Series: DS-8664NI-I8

K Series: V3.4.103

Q Series: V3.4.103

-D Series: HiLook V3.4.98_180905

WiFi HiLook/HiWatch: V3.4.98_180905

DeepInmind NVR:

V4.1.31, --X, S-V2 series

V4.1.25, FA, S series

Acusense NVR: V4.1.13_180925

Note: The compatibility of IPC and NVR models in the same NVR series is the same.

- **Tested Keyboard:**

DS-1600KI V2.0.0

DS-1006KI V1.0

Customer Impact and Recommended Action

This update refers to function/compatibility improvement and will take effect automatically after the Date of Change. We are very sorry for any inconvenience of use-habit changes caused by this action. For any questions and request for this firmware, please contact our local technical support team.

Remarks:

- Hikvision reserves the right to change, alter or withdraw the above notification without prior notice.
- Product design and specifications are subject to change without prior notice.
- The Hikvision firmware may contain defects or errors known as errata which may cause the product to deviate from published specifications. Current characterized errata are available on request.
- Hikvision is not liable for any typing or printing errors.

Hikvision Digital Technology CO., Ltd.
No. 555 Qianmo Road, Binjiang District, Hangzhou 310051,
China
Tel: +86-571-8807-5998
FAX: +86-571-8993-5635

Supported Product List (2XX1,2XX7,1XX3,3XX1,3XX3)		
Mini Camera	DS-2CD2D21G0	2MP, WDR
Bullet Camera	DS-2CD1023G0-I	2MP, IR, DWDR
Dome Camera	DS-2CD1123G0-I	2MP, IR, DWDR
Turret Camera	DS-2CD1323G0-I	2MP, IR, DWDR
VF Bullet Camera	DS-2CD1623G0-I(Z) (2.8-12mm)	2MP, IR, DWDR, Motorized lens
VF Dome Camera	DS-2CD1723G0-I(Z) (2.8-12mm)	2MP, IR, DWDR, Motorized lens
VF Bullet Camera	DS-2CD1623G1-I(Z)(S)	2MP, IR, DWDR, Motorized lens
VF Dome Camera	DS-2CD1723G1-I(Z)(S)	2MP, IR, DWDR, Motorized lens
VF Turret Camera	DS-2CD1H23G0-IZ	2MP, IR, DWDR, Motorized lens
Fixed Bullet Camera	DS-2CD2T21G0-I(S)(4/6mm)	2MP, IR, WDR, Audio/Alarm
Fixed Turret Camera	DS-2CD2321G0-I/NF(2.8/4/6mm)	2MP, IR, WDR
Fixed Dome Camera	DS-2CD2121G0-I(W)(S)(2.8/4/6mm)	2MP, IR, Wi-Fi, Audio/Alarm
VF Bullet Camera	DS-2CD2621G0-I(Z)(S)	2MP, IR, WDR, Motorized lens
VF Dome Camera	DS-2CD2721G0-I(Z)(S)	2MP, IR, WDR, Motorized lens
Box Camera	DS-2CD2821G0-I(Z)(S)	2MP, WDR, Motorized lens
Fixed Bullet Camera	DS-2CD2021G1-I(S)(2.8/4/6mm)(B)	2MP, IR, WDR
Fixed Bullet Camera	DS-2CD2021G1-IW(S)(2.8/4/6mm)(B)	2MP, IR, WDR, Wi-Fi, Audio/Alarm
Fixed Bullet Camera	DS-2CD2021G1-I	2MP, IR, WDR
Fixed Bullet Camera	DS-2CD2021G1-I (D) W	2MP, IR, WDR, Wi-Fi
Fixed Bullet Camera	DS-2CD2021G1-IDW1	2MP, IR, WDR, Wi-Fi
Fixed Dome Camera	DS-2CD2121G1-IDW1	2MP, IR, WDR, Wi-Fi
ColorVu Bullet camera	DS-2CD2027G1-L	2MP, ColorVu, WDR