

Network Camera Firmware

Version: V5.4.51

Release Note (External)

(2019-04-02)

	Firmware Version:	V5.4.51 build190122
Firmware	SDK Version:	V5.2.6.25
Basic Information	iVMS-4200	Version 4200 V2.05.05.11
	101013-4200	build20170110

Hikvision Firmware V5.4.51 Features

*for G1 Fisheye Cameras

- 1. Optimization
- Update SDK, fixed some baseline issues.

Compatibility Update

• Milestone:

- 1. Milestone Enterprise 8.1a(10.1a), Milestone drive version (Driver 8.8), test HIKCGI
- 2. Milestone software version (Milestone Corporate 10.2a), Milestone drive version (Driver 8.8), test HIKCGI

• Avigilon:

1. Control Center: V5.10.4.6;

2. Test ONVIF.

• Excaqvision:

1. Version: 8.2.1.107318 2. Protocol: HIKCGI, ONVIF

Tested NVRs:

E Series: DS-7732NI-E4/16P(V3.4.91)

F Series: DS-96128NI-F16(V3.2.6 160411)



G Series:DS-7608NI-G2/4P (V3.4.1 build 151225)

K Series: DS-7816NI-K1 (V3.4.90)

DVR:DS-9016HFI-ST(V3.4.3)

Tested Keyboard:

DS-1600KI V2.0.0

DS-1006KI V1.0



Customer Impact and Recommended Action

This update refers to function/compatibility improvement and will take effect automatically after the Date of Change. We are very sorry for any inconvenience of use-habit changes caused by this action. For any questions and request for this firmware, please contact our local technical support team.

Remarks:

- Hikvision reserves the right to change, alter or withdraw the above notification without prior notice.
- Product design and specifications are subject to change without prior notice.
- The Hikvision firmware may contain defects or errors known as errata which may cause the product to deviate from published specifications. Current characterized errata are available on request.
- Hikvision is not liable for any typing or printing errors.

Hikvision Digital Technology CO., Ltd. No. 555 Qianmo Road, Binjiang District, Hangzhou 310051, China

Tel: +86-571-8807-5998 FAX: +86-571-8993-5635

Supported Product List (29XX,39XX)			
Product Category	Model Number	Product Description	
Fisheye Camera	DS-2CD2935FWD-I(S)	3MP, IR, 120dB WDR	
Fisheye Camera	DS-2CD2955FWD-I(S)	5MP, IR, 120dB WDR	
Fisheye Camera	DS-2CD3955FWD-I(S)	5MP, IR, 120dB WDR	